

Package: apisensr (via r-universe)

October 10, 2024

Title Interface to 'episensr' for Sensitivity Analysis of
Epidemiological Results

Version 1.0.0

Description API for using 'episensr', Basic sensitivity analysis of
the observed relative risks adjusting for unmeasured
confounding and misclassification of the exposure/outcome, or
both. See <<https://cran.r-project.org/package=episensr>>.

License GPL-2

Encoding UTF-8

Imports shiny, golem, config, attempt, glue, htmltools, shinymaterial,
shinyjs, rhandsontable, rmarkdown, ggraph, igraph

Depends R (>= 4.0.0), ggplot2 (>= 3.4.0), episensr (>= 1.3.0)

RoxygenNote 7.2.3

URL <https://github.com/dhaine/apisensr>

BugReports <https://github.com/dhaine/apisensr/issues>

Suggests testthat, rlang, knitr

VignetteBuilder knitr

Repository <https://epiverse-connect.r-universe.dev>

RemoteUrl <https://github.com/dhaine/apisensr>

RemoteRef HEAD

RemoteSha 5e0f1f6391216bfc7be09c10b30c19cdd78d6df

Contents

run_app	2
Index	3

`run_app`*Run the Shiny Application*

Description

Runs the 'apisensr' Shiny application. This function does not return; interrupt R to stop the application (usually by pressing Ctrl+C or Esc).

Usage

```
run_app(...)
```

Arguments

```
...           Unused arguments.
```

Examples

```
## Not run:  
run_app()  
  
## End(Not run)
```

Index

run_app, [2](#)